ELSEVIER

European Journal of Pharmacology
Molecular Pharmacology Section 291 (1995) 447–450

ejp
molecular pharmacology

Author index

Akaike, N., see Uneyama, C. (291) 381
Åkerman, K.E.O., see Järv, J. (291) 43
Akiba, S., Nagatomo, R., Ishimoto, T. and Sato, T.
Effect of berbamine on cytosolic phospholipase A_2 activation in rabbit platelets (291) 343

Bajaj, B.P.S., see Balmforth, A.J. (291) 135
Ball, S.G., see Balmforth, A.J. (291) 135
Balmforth, A.J., Lee, A.J., Bajaj, B.P.S., Dickinson, C.J., Warburton, P. and Ball, S.G.
Functional domains of the C-terminus of the rat angiotensin AT_{1A} receptor (291) 135
Barnard, E.A., see Simon, J. (291) 281
Bäsler, I., Kuhn, M., Müller, W. and Forssmann, W.-G.
Pituitary adenylate cyclase-activating polypeptide stimulates cardiodilatin/atrial natriuretic peptide (CDD/ANP-(99–126) secretion from cultured neonatal rat myocardiocytes (291) 335
Bast, A., see Westerveld, G.-J. (291) 27
Belloni, P., see Viganò, T. (291) 201
Bernier, S.G., Servant, G., Boudreau, M., Fournier, A. and Guillemette, G.
Characterization of a binding site for angiotensin IV on bovine aortic endothelial cells (291) 191
Berrang, B., see Popik, P. (291) 221
Beyermann, M., see Cross, L.J.M. (291) 291
Bienert, M., see Cross, L.J.M. (291) 291
Blanchard, J.-C., see Petitet, F. (291) 143
Böckmann, S. and Paegelow, I.
Bradykinin receptors and signal transduction pathways in peritoneal guinea pig macrophages (291) 159
Boichot, E., see Hichami, A. (291) 91
Boomsma, F., see Verhage, M. (291) 387
Boudreau, M., see Bernier, S.G. (291) 191
Bougria, M., Vitorica, J., Cano, J. and Machado, A.
Implication of dopamine transporter system on 1-methyl-4-phenylpyridinium and rotenone effect in striatal synaptosomes (291) 407
Bourdeaux, M.J., see Orsière, T.G. (291) 237
Branchek, T.A., see Zgombick, J.M. (291) 9
Burnstock, G., see Simon, J. (291) 281
Busch, A.E., see Herzer, T. (291) 205

Callaghan, R. and Riordan, J.R.
Opiates inhibit ion conductances elicited by cell swelling and cAMP in cultured cells (291) 183
Cano, J., see Bougria, M. (291) 407
Cantoni, O., see Palomba, L. (291) 167
Cattabeni, F., see Palomba, L. (291) 167
Cattaneo, M.G., Fesce, R. and Vicentini, L.M.
Mitogenic effect of serotonin in human small cell lung carcinoma cells via both $5\text{-}HT_{1A}$ and $5\text{-}HT_{1D}$ receptors (291) 209
Chauvet, M.M., see Orsière, T.G. (291) 237
Corsini, A., see Viganò, T. (291) 201
Cross, L.J.M., Ennis, M., Krause, E., Dathe, M., Lorenz, D., Krause, G., Beyermann, M. and Bienert, M.
Influence of α-helicity, amphipathicity and D-amino acid incorporation on the peptide-induced mast cell activation (291) 291

Dasgupta, S., see Odagaki, Y. (291) 245
Dathe, M., see Cross, L.J.M. (291) 291
De Graan, P.N.E., see Verhage, M. (291) 387
Dei, S., see Voigt, W. (291) 255
Dekker, I., see Westerveld, G.-J. (291) 27
Dell'Amico, M.H., see Orsière, T.G. (291) 237
De Meyer, E., Van Hove, C.E., Feng, X.J., Rampart, M. and Herman, A.G.
Thrombin triggers the de novo expression of an inducible NO synthase in porcine aortic valve endothelial cells (291) 67
Dickinson, C.J., see Balmforth, A.J. (291) 135
Doble, A., see Petitet, F. (291) 143
Drewe, J.A., see Yang, W. (291) 319

El-Fakahany, E.E., see Hejnová, L. (291) 427
El-Fakahany, E.E., see Wang, S.Z. (291) R1
Ennis, M., see Cross, L.J.M. (291) 291

Feng, X.J., see De Meyer, E. (291) 67
Fesce, R., see Cattaneo, M.G. (291) 209
Fickel, J., see Winkler, A. (291) 51
Foglar, R., see Obika, K. (291) 327
Folco, G., see Viganò, T. (291) 201
Forssmann, W.-G., see Bäsler, I. (291) 335
Fournier, A., see Bernier, S.G. (291) 191
Fuchs, K., see Slany, A. (291) 99
Fujii, E., see Uchida, Y. (291) 33
Fujimoto, M., see Itazaki, K. (291) 417
Fumagalli, R., see Viganò, T. (291) 201
Fuxe, K., see Odagaki, Y. (291) 245

Galas, M.-C. and Harden, T.K.
Receptor-induced heterologous desensitization of receptor-regulated phospholipase C (291) 175
Germain, N., see Hichami, A. (291) 91
Ghijsen, W.E.J.M., see Verhage, M. (291) 387
Gispen, W.H., see Verhage, M. (291) 387
Granata, A., see Viganò, T. (291) 201
Griffioen, D.H., see Westerveld, G.-J. (291) 27
Gross, S.S., see Hattori, Y. (291) 83
Gualtieri, F., see Voigt, W. (291) 255
Guidarelli, A., see Palomba, L. (291) 167
Guillaume, J.-L., see Méjean, A. (291) 359
Guillemette, G., see Bernier, S.G. (291) 191

Hadingham, K.L., Wafford, K.A., Thompson, S.A., Palmer, K.J. and Whiting, P.J.

Expression and pharmacology of human $GABA_A$ receptors containing $\gamma 3$ subunits (291) 301
Hampson, D.R., see Yue, K.-T. (291) 229
Handa, H., see Tanaka, H. (291) 121
Haq, W., see Knapp, R.J. (291) 129
Hara, M., see Itazaki, K. (291) 417
Harden, T.K., see Galas, M.-C. (291) 175
Hatta, S., Watanabe, M., Ikeda, H., Kamada, H., Saito, T. and Ohshika, H.
Impairment of adenylyl cyclase signal transduction in mecobalamin-deficient rats (291) 351
Hattori, Y., Szabó, C., Gross, S.S., Thiemermann, C. and Vane, J.R.
Lipid A and the lipid A analogue anti-tumour compound ONO-4007 induce nitric oxide synthase in vitro and in vivo (291) 83
Hautala, R., see Järv, J. (291) 43
Hejnová, L., Tuček, S. and El-Fakahany, E.E.
Positive and negative allosteric interactions on muscarinic receptors (291) 427
Hens, J.J.H., see Verhage, M. (291) 387
Herman, A.G., see De Meyer, E. (291) 67
Hernandez, A., see Viganò, T. (291) 201
Herzer, T., Wagner, C.A., Waldegger, S., Lang, F. and Busch, A.E.
Effects of channel modulation and pH on I_{sK} inhibition by the novel class III antiarrhythmic azimilide (NE-10064) (291) 205
Hichami, A., Boichot, E., Germain, N., Legrand, A., Moodley, I. and Lagente, V.
Involvement of cyclic AMP in the effects of phosphodiesterase IV inhibitors on arachidonate release from mononuclear cells (291) 91
Hirahashi, J., see Hishikawa, K. (291) 435
Hiramoto, M., see Tanaka, H. (291) 121
Hisatome, I., see Saito, M. (291) 217
Hishikawa, K., Nakaki, T., Hirahashi, J., Marumo, T. and Saruta, T.
Tranilast inhibits the effects of platelet-derived growth factor on cell proliferation and induction of nitric oxide (291) 435
Horie, K., see Obika, K. (291) 327
Hruby, V.J., see Knapp, R.J. (291) 129

Ikeda, H., see Hatta, S. (291) 351
Irie, K., see Uchida, Y. (291) 33
Ishimoto, T., see Akiba, S. (291) 343
Itazaki, K., Hara, M., Itoh, N. and Fujimoto, M.
A long-term receptor stimulation is requisite for angiotensin II-dependent DNA synthesis in vascular smooth muscle cells from spontaneously hypertensive rats (291) 417
Itoh, N., see Itazaki, K. (291) 417
Iwamura, T., see Katsumata, S. (291) 367

Järv, J., Hautala, R. and Åkerman, K.E.O.
Dual effect of muscarinic receptor agonists on Ca^{2+} mobilization in SH-SY5Y neuroblastoma cells (291) 43

Kakinoki, B., see Sakai, H. (291) 153
Kamada, H., see Hatta, S. (291) 351
Kankaanranta, H., Wuorela, H., Siltaloppi, E., Vuorinen, P., Vapaatalo, H. and Moilanen, E.
Inhibition of human neutrophil function by tolfenamic acid involves inhibition of Ca^{2+} influx (291) 17
Kao, L.-S., see Liu, P.-S. (291) 265
Karle, J. and Nielsen, M.
Modest reduction of benzodiazepine binding in rat brain in vivo induced by antisense oligonucleotide to $GABA_A$ receptor γ_2 subunit subtype (291) 439
Katsumata, S., Minami, M., Nakagawa, T., Iwamura, T. and Satoh, M.
Pharmacological study of dihydroetorphine in cloned μ-, δ- and κ-opioid receptors (291) 367
Kiang, J.G.
Mystixin-7 and mystixin-11 increase cytosolic free Ca^{2+} and inositol trisphosphates in human A-431 cells (291) 107
Kimura, K., see Obika, K. (291) 327
King, B.F., see Simon, J. (291) 281
Kizawa, Y., see Kusama, T. (291) 431
Knapp, R.J., Landsman, R., Waite, S., Malatynska, E., Varga, E., Haq, W., Hruby, V.J., Roeske, W.R., Nagase, H. and Yamamura, H.I.
Properties of TAN-67, a nonpeptidic δ-opioid receptor agonist, at cloned human δ- and μ-opioid receptors (291) 129
Kondo, M., see Sakai, A. (291) 375
Konno, K., see Sakai, A. (291) 375
Környei, J.L., see Vértes, Z. (291) 115
Kovács, S., see Vértes, Z. (291) 115
Krause, E., see Cross, L.J.M. (291) 291
Krause, G., see Cross, L.J.M. (291) 291
Kucharewicz, S.A., see Zgombick, J.M. (291) 9
Kuhn, M., see Bäsler, I. (291) 335
Kumagai, S., see Sakai, H. (291) 153
Kusama, T., Sakurai, M., Kizawa, Y., Uhl, G.R. and Murakami, H.
GABA ρ_1 receptor: inhibition by protein kinase C activators (291) 431

Lagente, V., see Hichami, A. (291) 91
Lambert, K.A., see Woodcock, E.A. (291) 213
Lan, N.C., see Yang, W. (291) 319
Landsman, R., see Knapp, R.J. (291) 129
Lang, F., see Herzer, T. (291) 205
Layer, R., see Popik, P. (291) 221
Lee, A.J., see Balmforth, A.J. (291) 135
Legrand, A., see Hichami, A. (291) 91
Lemoine, H., see Voigt, W. (291) 255
Lewin, A., see Popik, P. (291) 221
Liliom, K., see Molnár, A. (291) 73
Lin, W.W.
Effects of protein kinase A activation on endothelin- and ATP-induced signal transduction (291) 1
Lin, Y.-J., see Liu, P.-S. (291) 265
Liu, P.-S., Lin, Y.-J. and Kao, L.-S.
Effects of caffeine on Ca^{2+} fluxes and secretion in bovine chromaffin cells (291) 265
Lopes da Silva, F.H., see Verhage, M. (291) 387
Lorenz, D., see Cross, L.J.M. (291) 291
Lundy, D.F. and McBean, G.J.
Pre-incubation of synaptosomes with arachidonic acid potentiates inhibition of [^{3}H]D-aspartate transport (291) 273

MacDonald, J.F., see Yue, K.-T. (291) 229
Machado, A., see Bougria, M. (291) 407
Makino, I., see Tanaka, H. (291) 121
Makino, Y., see Tanaka, H. (291) 121
Malatynska, E., see Knapp, R.J. (291) 129
Mannhold, R., see Voigt, W. (291) 255
Marumo, T., see Hishikawa, K. (291) 435
Matsumoto, C., see Sakai, H. (291) 153
McBean, G.J., see Lundy, D.F. (291) 273
Méjean, A., Guillaume, J.-L. and Strosberg, A.D.
Carazolol: a potent, selective β_3-adrenoceptor agonist (291) 359
Melzig, M.F., see Winkler, A. (291) 51
Milikan, J.M., see Zwart, R. (291) 399
Minami, M., see Katsumata, S. (291) 367
Moilanen, E., see Kankaanranta, H. (291) 17
Molnár, A., Liliom, K., Orosz, F., Vértessy, B.G. and Ovádi, J.
Anti-calmodulin potency of indol alkaloids in in vitro systems (291) 73
Moodley, I., see Hichami, A. (291) 91
Müller, W., see Bäsler, I. (291) 335
Murakami, H., see Kusama, T. (291) 431
Muraki, T., see Uchida, Y. (291) 33

Nagase, H., see Knapp, R.J. (291) 129
Nagatomo, R., see Akiba, S. (291) 343
Nakagawa, T., see Katsumata, S. (291) 367
Nakajima, S., see Saito, M. (291) 217
Nakaki, T., see Hishikawa, K. (291) 435
Nielsen, M., see Karle, J. (291) 439
Nowak, G., see Popik, P. (291) 221

Obika, K., Shibata, K., Horie, K., Foglar, R., Kimura, K. and Tsujimoto, G.
NS-49, a novel α_{1a}-adrenoceptor-selective agonist characterization using recombinant human α_1-adrenoceptors (291) 327
O'Connor, M.P., see Southan, G.J. (291) 311
Odagaki, Y., Dasgupta, S. and Fuxe, K.
Additivity and non-additivity between dopamine-, norepinephrine-, carbachol- and GABA-stimulated GTPase activity (291) 245
Odarjuk, J., see Winkler, A. (291) 51
Ogawa, A., see Uchida, Y. (291) 33
Ohba, K.-i., see Uchida, Y. (291) 33
Ohshika, H., see Hatta, S. (291) 351
Oortgiesen, M., see Zwart, R. (291) 399
Orosz, F., see Molnár, A. (291) 73
Orsière, T.G., Chauvet, M.M., Dell'Amico, M.H. and Bourdeaux, M.J.
Effects of benfluorex metabolites on membrane fluidity and insulin-related processes (291) 237
Ovádi, J., see Molnár, A. (291) 73

Paegelow, I., see Böckmann, S. (291) 159
Palmer, K.J., see Hadingham, K.L. (291) 301
Palomba, L., Guidarelli, A., Cattabeni, F. and Cantoni, O.
The effect of hydrogen peroxide/L-histidine-induced DNA single- vs. double-strand breaks on poly(ADP-ribose)polymerase (291) 167
Paoletti, R., see Viganò, T. (291) 201
Papsdorf, G., see Winkler, A. (291) 51
Pekhletski, R., see Yue, K.-T. (291) 229
Petitet, F., Blanchard, J.-C. and Doble, A.
Effects of AMPA receptor modulators on the production of arachidonic acid from striatal neurons (291) 143
Popik, P., Lewin, A., Berrang, B., Nowak, G., Layer, R. and Skolnick, P.
[^{3}H]1-Aminocyclopropanecarboxylic acid, a novel probe for strychnine-insensitive glycine receptors (291) 221

Rampart, M., see De Meyer, E. (291) 67
Riordan, J.R., see Callaghan, R. (291) 183
Roeske, W.R., see Knapp, R.J. (291) 129
Romanelli, M.N., see Voigt, W. (291) 255

Saito, M., Hisatome, I., Nakajima, S. and Sato, R.
Possible mechanism of oxygen radical production by human eosinophils mediated by K^+ channel activation (291) 217
Saito, T., see Hatta, S. (291) 351
Sakai, A., Kondo, M., Tamaoki, J. and Konno, K.
Nitric oxide modulation of Ca^{2+} responses in cow tracheal epithelium (291) 375
Sakai, H., Tabuchi, Y., Kakinoki, B., Seike, H., Kumagai, S., Matsumoto, C. and Takeguchi, N.
Ca^{2+}-activated outward-rectifier K^+ channels and histamine release by rat gastric enterochromaffin-like cells (291) 153
Sakurai, M., see Kusama, T. (291) 431
Salzman, A.L., see Southan, G.J. (291) 311
Saruta, T., see Hishikawa, K. (291) 435
Sato, R., see Saito, M. (291) 217
Sato, T., see Akiba, S. (291) 343
Satoh, M., see Katsumata, S. (291) 367
Schechter, L.E., see Zgombick, J.M. (291) 9
Scheeren, R.A., see Westerveld, G.-J. (291) 27
Seeman, P. and Van Tol, H.H.M.
Deriving the therapeutic concentrations for clozapine and haloperidol: The apparent dissociation constant of a neuroleptic at the dopamine D_2 or D_4 receptor varies with the affinity of the competing radioligand (291) 59
Seike, H., see Sakai, H. (291) 153
Servant, G., see Bernier, S.G. (291) 191
Shibata, K., see Obika, K. (291) 327
Sieghart, W., see Slany, A. (291) 99
Siems, W.-E., see Winkler, A. (291) 51
Siltaloppi, E., see Kankaanranta, H. (291) 17
Simon, J., Webb, T.E., King, B.F., Burnstock, G. and Barnard, E.A.
Characterisation of a recombinant P_{2Y} purinoceptor (291) 281
Skolnick, P., see Popik, P. (291) 221
Slany, A., Zezula, J., Fuchs, K. and Sieghart, W.
Allosteric modulation of [^{3}H]flunitrazepam binding to recombinant $GABA_A$ receptors (291) 99
Southan, G.J., Szabó, C., O'Connor, M.P., Salzman, A.L. and Thiemermann, C.
Amidines are potent inhibitors of nitric oxide synthases: preferential inhibition of the inducible isoform (291) 311
Strosberg, A.D., see Méjean, A. (291) 359
Szabó, C., see Hattori, Y. (291) 83
Szabó, C., see Southan, G.J. (291) 311

Tabuchi, Y., see Sakai, H. (291) 153
Takahashi, M., see Uneyama, C. (291) 381
Takeguchi, N., see Sakai, H. (291) 153
Tamaoki, J., see Sakai, A. (291) 375
Tanaka, H., Makino, Y., Hiramoto, M., Handa, H. and Makino, I.
Potentiation of glucocorticoid-mediated gene expression by the novel benzoquinone derivative (2E)-3-[5-(2,3-dimethoxy-*o*-methyl-1,4-benzoquinoyl)]-2-nonyl-2-propenoic acid (E3330) (291) 121
Teodori, E., see Voigt, W. (291) 255
Thiemermann, C., see Hattori, Y. (291) 83
Thiemermann, C., see Southan, G.J. (291) 311
Thompson, S.A., see Hadingham, K.L. (291) 301
Tsujimoto, G., see Obika, K. (291) 327
Tsukahara, F., see Uchida, Y. (291) 33
Tuček, S., see Hejnová, L. (291) 427

Uchida, Y., Irie, K., Tsukahara, F., Ohba, K.-i., Ogawa, A., Fujii, E. and Muraki, T.
Endothelin-1, but not endothelin-3, suppresses lipoprotein lipase gene expression in brown adipocytes differentiated in culture (291) 33
Uhl, G.R., see Kusama, T. (291) 431
Uneyama, C., Uneyama, H., Takahashi, M. and Akaike, N.
Pharmacological studies on mechanisms involved in Ca^{2+} oscillations in rat megakaryocytes (291) 381
Uneyama, H., see Uneyama, C. (291) 381

Vane, J.R., see Hattori, Y. (291) 83
Van Hove, C.E., see De Meyer, E. (291) 67
Van Kleef, R.G.D.M., see Zwart, R. (291) 399
Van Tol, H.H.M., see Seeman, P. (291) 59
Vapaatalo, H., see Kankaanranta, H. (291) 17
Varga, E., see Knapp, R.J. (291) 129
Verhage, M., Hens, J.J.H., De Graan, P.N.E., Boomsma, F., Wiegant, V.M., Lopes da Silva, F.H., Gispen, W.H. and Ghijsen, W.E.J.M.
Ba^{2+} replaces Ca^{2+}/calmodulin in the activation of protein phosphatases and in exocytosis of all major transmitters (291) 387
Vértes, M., see Vértes, Z. (291) 115
Vértes, Z., Környei, J.L., Kovács, S. and Vértes, M.
Role of opioid peptides in the regulation of DNA synthesis in immature rat uterus (291) 115
Vértessy, B.G., see Molnár, A. (291) 73
Vicentini, L.M., see Cattaneo, M.G. (291) 209

Viganò, T., Hernandez, A., Corsini, A., Granata, A., Belloni, P., Fumagalli, R., Paoletti, R. and Folco, G.
Mevalonate pathway and isoprenoids regulate human bronchial myocyte proliferation (291) 201
Vijverberg, H.P.M., see Zwart, R. (291) 399
Vitorica, J., see Bougria, M. (291) 407
Voigt, W., Romanelli, M.N., Lemoine, H., Mannhold, R., Dei, S., Teodori, E. and Gualtieri, F.
Structural dependence of the allosteric interaction of semi-rigid verapamil analogues with dihydropyridine-binding in kitten heart (291) 255
Voss, H.-P., see Westerveld, G.-J. (291) 27
Vuorinen, P., see Kankaanranta, H. (291) 17

Wafford, K.A., see Hadingham, K.L. (291) 301
Wagner, C.A., see Herzer, T. (291) 205
Waite, S., see Knapp, R.J. (291) 129
Waldegger, S., see Herzer, T. (291) 205
Wang, S.Z., Zhu, S.Z. and El-Fakahany, E.E.
Expression of endogenous muscarinic acetylcholine receptors in Chinese hamster ovary cells (291) R1
Warburton, P., see Balmforth, A.J. (291) 135
Watanabe, M., see Hatta, S. (291) 351
Webb, T.E., see Simon, J. (291) 281
Weinshank, R.L., see Zgombick, J.M. (291) 9
Westerveld, G.-J., Scheeren, R.A., Dekker, I., Griffioen, D.H., Voss, H.-P. and Bast, A.
Anti-oxidant actions of oxymethazoline and xylomethazoline (291) 27
Whiting, P.J., see Hadingham, K.L. (291) 301
Wiegant, V.M., see Verhage, M. (291) 387
Winkler, A., Papsdorf, G., Odarjuk, J., Siems, W.-E., Fickel, J. and Melzig, M.F.
Expression and characterization of the substance P (NK_1) receptor in the rat pituitary and AtT20 mouse pituitary tumor cells (291) 51
Woodcock, E.A. and Lambert, K.A.
The inositol phosphate response to thrombin in rat right atria differs from the response to noradrenaline (291) 213
Wuorela, H., see Kankaanranta, H. (291) 17

Yamamura, H.I., see Knapp, R.J. (291) 129
Yang, W., Drewe, J.A. and Lan, N.C.
Cloning and characterization of the human $GABA_A$ receptor $\alpha 4$ subunit: identification of a unique diazepam-insensitive binding site (291) 319
Yue, K.-T., MacDonald, J.F., Pekhletski, R. and Hampson, D.R.
Differential effects of lectins on recombinant glutamate receptors (291) 229

Zezula, J., see Slany, A. (291) 99
Zgombick, J.M., Schechter, L.E., Kucharewicz, S.A., Weinshank, R.L. and Branchek, T.A.
Ketanserin and ritanserin discriminate between recombinant human 5-$HT_{1D\alpha}$ and 5-$HT_{1D\beta}$ receptor subtypes (291) 9
Zhu, S.Z., see Wang, S.Z. (291) R1
Zwart, R., Van Kleef, R.G.D.M., Milikan, J.M., Oortgiesen, M. and Vijverberg, H.P.M.
Potentiation and inhibition of subtypes of neuronal nicotinic acetylcholine receptors by Pb^{2+} (291) 399